Math 110 Common Exam #1 February 9, 2022

 Time: 1 hour and 25 minutes

 Instructions: Show all work for full credit.

 No outside materials or calculators allowed.

 Extra Space: Use the backs of each sheet for extra space. Clearly label when doing so.

 Name:

 ID #:


 Instructor/Section:

"I pledge by my honor that I have abided by the NJIT Academic Integrity Code."


_____ (Signature)

Problem	Score
1	
2	
3	
4	
5	
6	
7	
8	
9	


 For each of the following functions state the requested information. If something is not there, write "None". Please write the domains and ranges in interval notation, and the intercepts as "x = " or "y = ". (6 pts each)



c. $y = -log_4(x+5)$



2. Find the equation of the graph in $y = a \cdot b^x$ form. (4 pts)



3. Evaluate the following: (4 pts each)

a. $log_{10}10$

b.
$$log_{11} \frac{1}{121}$$

4. Use the given information to find an expression for the question in terms of a combination of the variables: (3 pts)

 $log_{6} 4 = U$ $log_{6} 9 = V$ $log_{6} 10 = W$ Find log_{6} 600

- 5. Consider the function $y = \ln(x 10)$
 - a. Find the inverse of the function. (3 pts)

b. Graph both the original function and its inverse on the same coordinate plane.
 Be sure to label at least one identifying point on each function and any asymptotes. (4 pts)

6. Graph the following; be sure to label any asymptotes AND at least 1 identifying point. (5 pts each)

a.
$$y = e^{x-2} + 1$$

b. $y = \ln(x - 1) - 1$

c.
$$y = -2 - (2)^{x+1}$$

$$d. \quad y = |\ln(x)|$$

7. Solve the following for all solutions; identify any extraneous: (5 pts each)

a.
$$\frac{1}{a^2} + \frac{4a+8}{a^2} = \frac{1}{3a^2}$$

b. $log_8 x - log_8 (x+1) = 2$

c. ln4 + ln(2x - 3) = ln38

d.
$$-9 \cdot 16^{m-6} = -34$$

8. Find the inverses of the following functions: (5 pts each)

a.
$$y = log_6(x^5 + 6) + 4$$

b.
$$y = 5\ln(-4x + 3)$$

c.
$$y = \left(\frac{3^{x}+6}{-2}\right)^{1/2}$$

9. Graph the following piecewise function 5 pts:
$$y = \begin{cases} \left(\frac{1}{2}\right)^x & , x \le 0 \\ 3x & , x > 0 \end{cases}$$